

Department of Mathematical Sciences
CARNEGIE MELLON UNIVERSITY

OPERATIONS RESEARCH II 21-393

Homework 1: due date to be announced.

Q1 Solve the following knapsack problem:

$$\begin{aligned} &\text{maximise} && 2x_1 + 6x_2 + 8x_3 \\ &\text{subject to} && \\ &&& 2x_1 + 4x_2 + 5x_3 \leq 15 \\ &&& x_1, x_2, x_3 \geq 0 \text{ and integer.} \end{aligned}$$

Q2 A county chairwoman of a certain political party is making plans for an upcoming presidential election. She has received the services of 10 volunteer workers for precinct work and wants to assign them to five precincts in such a way as to maximize their effectiveness. She feels that it would be inefficient to assign a worker to more than one precinct, but she is willing to assign no workers to any one of the precincts if they can accomplish more in other precincts.

The following table gives the estimated increase in the number of votes for the party's candidate in each precinct if it were allocated the various number of workers.

| Number of Workers | Precinct | | | | |
|----------------------|----------|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 4 | 7 | 5 | 6 | 4 |
| 2 | 10 | 11 | 10 | 11 | 12 |
| 3 | 15 | 16 | 15 | 14 | 15 |
| 4 | 18 | 18 | 18 | 16 | 17 |
| 5 | 22 | 20 | 21 | 17 | 20 |
| 6 | 24 | 21 | 22 | 18 | 22 |
| 7 | 26 | 25 | 24 | 23 | 22 |
| 8 | 28 | 27 | 27 | 25 | 24 |
| 9 | 32 | 25 | 30 | 28 | 26 |
| 10 | 33 | 28 | 34 | 30 | 29 |

Use dynamic programming to find all solutions to the problem of maximising votes.

Q3 The people of a certain area live at the side of a long straight road of length L . The population is clustered into several villages at points a_1, a_2, \dots, a_k along the road. There is a proposal to build ℓ fire stations on the road. The problem is build them so that the *maximum* distance of a village to its nearest fire station is minimised. Formulate the problem of finding the optimum placement of fire stations as a dynamic program. (Assume that fire stations are to be placed at integer points only on the line.)

Q4 Let Σ be a k letter alphabet and let $v = v_1v_2 \cdots v_m, w = w_1w_2 \cdots w_n$ be two sequences over Σ . The distance $d(v, w)$ between v and w is defined as follows: A padding π of v is the insertion of a number of \star symbols into the sequence. For example $A \star CGC \star T \star G$ is a padding of $ACGCTG$. Now let $x = x_1x_2 \cdots x_p, y = y_1y_2 \cdots y_p$ be two sequence of the same length over $A \cup \{\star\}$. Let

$$\delta(x, y) = \sum_{i=1}^p \theta(x_i, y_i)$$

where

$$\theta(x_i, y_i) = \begin{cases} 0 & x_i = y_i \neq \star \\ 1 & x_i = y_i = \star \\ a & x_i \neq y_i, \{x_i, y_i\} \subseteq \Sigma \\ b & x_i \in \Sigma \text{ and } y_i = \star \text{ or } x_i = \star \text{ and } y_i \in \Sigma \end{cases}.$$

Then

$$d(v, w) = \min\{\delta(x, y) : x, y \text{ are paddings of } v, w \text{ respectively}\}.$$

Show how to use dynamic programming to compute $d(v, w)$.

(When the alphabet $\Sigma = \{A, C, G, T\}$, this is an important problem in Computational Biology).

Q5 Consider an electronic system consisting of four components each of which must work for the system to function. The reliability of the system can be improved by installing several parallel units in one or more of the components. The following table gives the probability that the respective components will function if they consist of one, two or three parallel units.

| Number of units | Component 1 | Component 2 | Component 3 | Component 4 |
|-----------------|-------------|-------------|-------------|-------------|
| 1 | 0.4 | 0.6 | 0.7 | 0.5 |
| 2 | 0.6 | 0.7 | 0.8 | 0.7 |
| 3 | 0.8 | 0.8 | 0.9 | 0.9 |

The probability that the system will function is the product of the probabilities that the respective components will function. The cost (in hundred's of dollars) of installing one, two or three parallel units in the respective components is given by the following table.

| Number of units | Component 1 | Component 2 | Component 3 | Component 4 |
|-----------------|-------------|-------------|-------------|-------------|
| 1 | 1 | 2 | 1 | 1 |
| 2 | 2 | 4 | 3 | 3 |
| 3 | 3 | 5 | 4 | 4 |

Because of budget limitations, a maximum of \$1000 can be spent. use Dynamic Programming to determine how many parallel units should be installed in each of the four components in order to maximise the probability that the system will function.

Q6 Suppose that the price of a *beanie baby* changes from day to day; on a given day it is equally likely to be \$ x where $x \in \{6, 7, 8, 9, 10, 11, 12\}$. Assume also that the price on any day is independent of the price on any other day.

1. If today's price is \$8 and you must purchase a beanie baby for your niece's birthday party tomorrow evening, should you wait until tomorrow?
2. What is the best strategy with 5 days to go?
3. Suppose that the Beanie outlet advertises an offer: Under this offer, you can buy a beanie baby at a fixed price of \$6 any time during the next five days. What is the maximum you would be the maximum you would be prepared to pay for this option.

It is assumed that you wish to minimise the expected price that you pay for the beanie baby.

Q7 A mathematics student has been asked to compute the product $A_1 \times A_2 \times \cdots \times A_n$ where each A_i is an $m_i \times m_{i+1}$ matrix. It will cost the student

\$pqr\$ to multiply a $p \times q$ matrix by a $q \times r$ matrix. Describe a dynamic programming algorithm for finding the cheapest way of multiplying the n matrices together.

To see that there is a problem: let $\underline{m} = (10, 5, 8, 12)$. There are two ways to compute $A_1 A_2 A_3$: compute $A_1 A_2$ first and then multiply this by A_3 – total cost $400 + 960 = 1360$. The other way is to compute $A_2 A_3$ first and then multiply this by A_1 – total cost $480 + 600 = 1080$.

Q8 A system can be in 3 states 1,2,3 and the cost of moving from state i to state j in one period is $c(i, j)$, where the $c(i, j)$ are given in the matrix below. The one period discount factor α is $1/2$.

The aim is to find a policy which simultaneously minimises the discounted cost of operating from any starting state. Start with the policy

$$\pi(1) = 1, \pi(2) = 1, \pi(3) = 2.$$

Find an optimal policy.

The matrix of costs is

$$\begin{bmatrix} 7 & 2 & 3 \\ 5 & 2 & 7 \\ 1 & 6 & 2 \end{bmatrix}$$