Department of Mathematical Sciences

CARNEGIE MELLON UNIVERSITY

OPERATIONS RESEARCH II 21-393

Homework 1: Due Monday September 18.

Q1 Solve the following knapsack problem:

maximise
$$3x_1 + 8x_2 + 12x_3$$
 subject to
$$2x_1 + 4x_2 + 5x_3 \leq 15$$
 $x_1, x_2, x_3 \geq 0$ and integer.

Solution

| w | f_1 | δ_1 | f_2 | δ_2 | f_3 | δ_3 |
|--|-------|------------|-------|------------|-------|------------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| $\begin{vmatrix} 1 \\ 2 \end{vmatrix}$ | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 1 | 3 | 0 | 3 | 0 |
| 3 | 3 | 1 | 3 | 0 | 3 | 0 |
| 4 | 6 | 1 | 8 | 1 | 8 | 0 |
| 5 | 6 | 1 | 8 | 1 | 12 | 1 |
| 6 | 9 | 1 | 11 | 1 | 12 | 1 |
| 7 | 9 | 1 | 11 | 1 | 12 | 1 |
| 8 | 12 | 1 | 16 | 1 | 16 | 0 |
| 9 | 12 | 1 | 16 | 1 | 20 | 1 |
| 10 | 15 | 1 | 19 | 1 | 24 | 1 |
| 11 | 15 | 1 | 19 | 1 | 24 | 1 |
| 12 | 18 | 1 | 24 | 1 | 24 | 0/1 |
| 13 | 18 | 1 | 24 | 1 | 28 | 1 |
| 14 | 21 | 1 | 27 | 1 | 32 | 1 |
| 15 | 21 | 1 | 27 | 1 | 36 | 1 |

Solution: $x_1 = 0, x_2 = 0, x_3 = 3$. Maximum = 36.

Start with $x_1 = x_2 = x_3 = 0$. $\delta_3(15) = 1$ and so we add one to x_3 . We have used up 5 units of the knapsack. There are 10 units left. $\delta_3(10) = 1$ and so we add one to x_3 . We use up another 5 units and so we are left with 5. $\delta_3(5) = 1$. We add one more to x_3 . There are now 0 units in the knapsack.

 $\delta_3(0) = 0$ and so we move to column 2. $\delta_2(0) = 0$ and so we move to column 1. $\delta(0) = 0$ and we are done.

Q2 A county chairwoman of a certain political party is making plans for an upcoming presidential election. She has received the services of 10 volunteer workers for precinct work and wants to assign them to five precincts in such a way as to maximize their effectiveness. She feels that it would be inefficient to assign a worker to more than one precinct, but she is willing to assign no workers to any one of the precincts if they can accomplish more in other precincts.

The following table gives the estimated increase in the number of votes for the party's candidate in each precinct if it were allocated the various number of workers.

| Number | | | | | |
|------------|----|----|----|----|----|
| of Workers | 1 | 2 | 3 | 4 | 5 |
| 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 4 | 7 | 5 | 6 | 4 |
| 2 | 10 | 11 | 10 | 11 | 12 |
| 3 | 15 | 16 | 15 | 14 | 15 |
| 4 | 18 | 18 | 18 | 16 | 17 |
| 5 | 22 | 20 | 21 | 17 | 20 |
| 6 | 24 | 21 | 22 | 18 | 22 |
| 7 | 26 | 25 | 24 | 23 | 22 |
| 8 | 28 | 27 | 27 | 25 | 24 |
| 9 | 32 | 25 | 30 | 28 | 28 |
| 10 | 33 | 28 | 34 | 32 | 29 |

Use dynamic programming to find all solutions to the problem of maximising votes.

Solution Let $f_r(w)$ be the maximum increase in votes in precincts $1, 2, \ldots, r$ assuming that w workers are assigned to them.

$$f_r(w) = \max_{0 \le i \le w} \{a_{i,r} + f_{r-1}(w-i)\}, \qquad r \ge 1,$$

where $a_{i,r}$ is the increased number of votes gained from i workers in precinct r.

$$f_0(w) = 0.$$

| w | f_1 | x_1 | f_2 | x_2 | f_3 | x_3 | f_4 | x_4 | f_5 | x_5 |
|----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 1 | 4 | 1 | 7 | 1 | 7 | 0 | 7 | 0 | | |
| 2 | 10 | 2 | 11 | 1,2 | 13 | 1 | 13 | 1 | | |
| 3 | 15 | 3 | 17 | 1 | 17 | 0,2 | 18 | 1,2 | | |
| 4 | 18 | 4 | 22 | 1 | 22 | 0,1,3 | 28 | 1,2 | | |
| 5 | 22 | 5 | 26 | 2 | 27 | 1,2 | 28 | 1,2 | | |
| 6 | 24 | 6 | 31 | 3 | 32 | 2,3 | 33 | 1,2 | | |
| 7 | 26 | 7 | 34 | 3 | 37 | 3 | 38 | 1,2 | | |
| 8 | 28 | 8 | 38 | 3 | 41 | 2,3 | 43 | 1,2 | | |
| 9 | 32 | 9 | 40 | 3,4 | 46 | 3 | 48 | 2 | | |
| 10 | 33 | 10 | 42 | 3,4,5 | 49 | 3,4 | 52 | 1,2 | 55 | 2 |

Solutions: Maximum = 55.

$$x_1 = 3$$
 $x_2 = 1$ $x_3 = 3$ $x_4 = 1$ $x_5 = 2$
 $x_1 = 3$ $x_2 = 1$ $x_3 = 2$ $x_4 = 2$ $x_5 = 2$
 $x_1 = 2$ $x_2 = 1$ $x_3 = 3$ $x_4 = 2$ $x_5 = 2$

Q3 Give a recurrence to solve the one item production problem when orders can be delayed by at most one period.

The recurrence is

$$f_r(i) = \min_{\substack{x \ge -i \\ x \ge 0}} \{c(x) + f_{r+1}(x+i-d_r)\}.$$