## Putnam $\Sigma$ .3

## Po-Shen Loh

## 11 September 2016

## 1 Problems

**Putnam 1997/A4.** Let G be a group with identity e and  $\phi: G \to G$  a function such that

$$\phi(g_1)\phi(g_2)\phi(g_3) = \phi(h_1)\phi(h_2)\phi(h_3)$$

whenever  $g_1g_2g_3 = e = h_1h_2h_3$ . Prove that there exists an element  $a \in G$  such that  $\psi(x) = a\phi(x)$  is a homomorphism (i.e.  $\psi(xy) = \psi(x)\psi(y)$  for all  $x, y \in G$ ).

**Putnam 1997/A5.** Let  $N_n$  denote the number of ordered n-tuples of positive integers  $(a_1, a_2, \ldots, a_n)$  such that  $1/a_1 + 1/a_2 + \ldots + 1/a_n = 1$ . Determine whether  $N_{10}$  is even or odd.

**Putnam 1997/A6.** For a positive integer n and any real number c, define  $x_k$  recursively by  $x_0 = 0$ ,  $x_1 = 1$ , and for  $k \ge 0$ ,

$$x_{k+2} = \frac{cx_{k+1} - (n-k)x_k}{k+1}.$$

Fix n and then take c to be the largest value for which  $x_{n+1}=0$ . Find  $x_k$  in terms of n and k,  $1 \le k \le n$ .